

### FEATURE LISTING SHEET I.54

<i>Area/Locus</i>	<i>Feature/Other Loci</i>	<i>Description</i>	<i>Structure</i>	<i>Phase</i>
<u>54.001</u>		Spoil Piles		1A
<u>54.002</u>		Pre-Spoil Pile Top Soil		1B
<u>54.003</u>	Includes 54.004, 54.005, 54.007, and 54.008	Destruction Debris above Cobble Floor <u>44.017</u>		3
54.004	= <u>54.003</u>	Ash and Soil Layer		3
54.005	= <u>54.003</u>	Ash and Mud-Brick Detritus		3
54.006	= <u>54.009</u>	Ash, destruction debris NE		3
54.007	= <u>54.003</u>	Destruction debris above Cobble Floor 54.037		3
54.008	= <u>54.003</u>	Destruction debris above Cobble Floor 54.037		3
<u>54.009</u>	Includes 54.006	Fired debris and ash in NE		3
54.010	= <u>55.013</u>	Destruction debris on Earth Floor <u>54.013</u> , N		3
54.011	= <u>44.026</u>	Destruction debris above white plaster floor, SW		3
<u>54.012</u>	Includes 54.055 and 64.010	E-W Mud-Brick Wall on cobble foundations separately call 54.055		3/4
<u>54.013</u>	Includes 54.039 and 54.041	Earthen floor, NE		3/4
<u>54.014</u>		Ash, fired mudbrick, debris above floor SE		3
<u>54.015</u>	Includes 54.043	N-S Mud-Brick wall on cobble foundations		3
<u>54.016</u>	Includes 54.038, 54.045, and 64.004	Ash, fired mudbrick, debris SE		3/4
<u>54.017</u>	Includes 54.042, 54.045, and 64.009	Earthen floor SE		3

54.018	= <u>44.001</u>	Spoil Pile in 44/54 balk		1A
54.019	= <u>54.031</u>	Ash within 54.030 in 44/54 balk		1A
54.020	= <u>44.001</u>	Spoil pile and topsoil in 44/54 balk		1A
54.021	= <u>44.003</u>	Topsoil under Spoil Pile in 44/54 balk		1B
<u>54.022</u>		Stone Foundation of Installation in 44/54 balk		2

54.023	= <u>44.018</u>	Mixed soils in 44/54 balk		3
54.024	= <u>44.022</u>	E-W Mud-Brick Wall in 44/54 balk		3
54.025	= <u>44.011</u>	Mixed destruction Debris in 44/54 balk		3
54.026	= <u>44.019</u>	Destruction layer and floor debris above Cobble Surface 44.017 in 44/54 balk N		3
54.027	= <u>44.019</u>	Destruction layer and floor debris above Cobble Surface 44.017 in 44/54 balk N		3
54.028	= <u>44.019</u>	Destruction layer and floor debris above Cobble Surface 44.017 in 44/54 balk N		3
54.029	= <u>44.019</u>	Destruction layer and floor debris above Cobble Surface 44.017 in 44/54 balk N		3
<u>54.030</u>		Stone Ring “fire pit” in 44/54 balk		1A
<u>54.031</u>	Includes 54.019	Ash within Pit <u>54.030</u>		1A
54.032	= <u>44.007</u>	Foundation stones		2
<u>54.033</u>		Installation in 44/54 balk		2
54.034	= <u>44.031</u>	Pot Stand or Libation Stand in White Plaster Floor <u>44.027</u>		3

<u>54.035</u>		Balk trim debris		1-5
	End of field excavation	2011		
54.036	= <u>44.027</u>	White plaster floor in 44/54 balk in Southwest		3
54.037	= <u>44.017</u>	Cobble Floor in Northwest		3
54.038	= <u>54.016</u>	Debris resting on Floor <u>54.017</u>		3
54.039	= <u>54.013</u>	Probe in floor next to Walls <u>54.012</u> and <u>54.040</u>		3
<u>54.040</u>		Mud-Brick Wall, butting Wall <u>54.012</u> in NE		3
54.041	= <u>54.013</u>	Debris and floor next to Walls <u>54.012</u> and <u>54.040</u>		3
54.042	= <u>54.017</u>	Ash/silt lenses, floor		3/4
54.043	= <u>54.015</u>	Slumping Mud-Brick Wall		3

<u>54.044</u>		Door Socket		3
<u>54.045</u>	Mixed <u>54.016</u> and <u>54.017</u>	Mixed floor and ash debris		3/4
<u>54.046</u>	Mixed <u>54.012</u> and <u>54.013</u>	Mix of Floor 54.013 and Wall 54.012		3/4
<u>54.047</u>	Mixed <u>54.012</u> and <u>54.013</u>	Mix of Floor 54.013 and Wall 54.012		3/4
<u>54.048</u>	Includes 64.027	Fill in SE		4
<u>54.049</u>		Flat lying Mud-Brick		4
<u>54.050</u>		Earthen Surface (?) under Mud-Brick <u>54.049</u>		4
<u>54.051</u>		Mixed Soil under Surface (?) <u>54.050</u> ; Fill?		5
<u>54.052</u>		Compact Soil under <u>54.051</u> ; Surface (?)		5
<u>54.053</u>		Balk Trim		5

<u>54.054</u>		Sterile Soil		pre-5
54.055	= <u>54.012</u>	Stone Foundation under Mud-Brick Wall <u>54.012</u>		4
<u>54.056</u>		Sub-Floor for Floor <u>54.013</u>		3
54.057		Compact Soil under Foundations of Wall <u>54.012</u> and above Sterile Soil <u>54.054</u>		5
54.058		Compact Soil under <u>54.056</u>		4
<u>54.059</u>		Cobbles		5
	Start Excavation	2014		
<u>54.060</u>	Includes 54.061 and 54.062	Probe through Cobble Floor 54.037 into Ashy Fill 54.063		3/4
54.061	=54.060	Probe through Cobble Floor 54.037 into Ashy Fill 54.063		3/4
54.062	=54.060	Probe through Cobble Floor 54.037 into Ashy Fill 54.063		3/4
<u>54.063</u>	Includes 54.065	Ashy Fill below Cobble Floor 54.037		4
<u>54.064</u>		Cobble Foundations to Mud-Brick Wall 54.012		4
54.065	=54.063	Ashy Fill below Cobble Floor 54.037		4
<u>54.066</u>		Loess under Ashy Fill		4
<u>54.067</u>		Semi-Circular Depression		4